

Chemical Physics Letters 260 (1996) 653-663

Author index to volume 260

Abbouti Temsamani, M. and M. Herman, Anharmonic resonances in monodeuteroacetylene	
(12C ₂ HD)	260 (1996) 253
Agranovich, V.M., see Reineker, P.	260 (1996) 621
Aizman, A., see Pérez, P.	260 (1996) 236
Ajayan, P.M., see Redlich, Ph.	260 (1996) 465
Akimoto, S., S. Takaichi, T. Ogata, Y. Nishimura, I. Yamazaki and M. Mimuro, Excitation energy transfer in carotenoid-chlorophyll protein complexes probed by femtosecond	
fluorescence decays	260 (1996) 147
Aldinger, F., see Redlich, Ph.	260 (1996) 465
Andriotis, A.N., N. Lathiotakis and M. Menon, Magnetic properties of Ni and Fe clusters: a	
tight binding molecular dynamics study	260 (1996) 15
Armstrong, P.S., see Dodd, J.A.	260 (1996) 103
Asada, T. and S. Iwata, Hybrid procedure of ab initio molecular orbital calculation and Monte Carlo simulation for studying intracluster reactions: applications to Mg ⁺ (H ₂ O),	
(n=1-4)	260 (1996)
Ashfold, M.N.R., C.M. Western, J.W. Hudgens and R.D. Johnson III, Characterisation of the E' 'A' Rydberg state of ammonia by resonance enhanced multiphoton ionisation	
spectroscopy	260 (1996) 27
Atabekyan, L.S., see Görner, H.	260 (1996) 59
Bach, R.D., see Glukhovtsev, M.N.	260 (1996) 558
Bain, A.J., P. Chandna and G. Butcher, Strong molecular alignment in anisotropic fluid media	260 (1996) 441
Balasubramanian, K., Double group of the icosahedral group (I _b) and its application to	200 (1770) 441
fullerenes	260 (1996) 476
Banno, Y., see Yamamoto, S.	260 (1996) 208
Barnett, V.W., see Moore, M.A.	260 (1996) 280
Barrio, M., D.O. López, J.L. Tamarit, H. Szwarc, S. Toscani and R. Céolin, C ₆₀ -CCl ₄	200 (1770) 200
phase diagram: polythermal behaviour of solvates C ₆₀ , 12 CCl ₄ and C ₆₀ , 2 CCl ₄	260 (1996) 78
Baumann, P., H.P. Bonzel, G. Pirug and J. Werner, Long-range ordered acetate structure on	
Cu(110)	260 (1996) 21:
Bauschlicher Jr., C.W., On the photoelectron spectrum of Li ₄	260 (1996) 309
Bazan, G.C., see Sun, B.J.	260 (1996) 186
Beaglehole, D., see Pfohl, T.	260 (1996) 82
Bec, E., see Becker, P.J.	260 (1996) 319
Becerra, R., S.E. Boganov, M.P. Egorov, O.M. Nefedov and R. Walsh, Room temperature	
observation of GeH ₂ and the first time-resolved study of some of its reactions	260 (1996) 433

Becker, P.J. and E. Bec, A simple method for predicting electron density in complex flexible molecules. A tribute to F.L. Hirshfeld	260 (1996) 319
Becucci, M., G. Pietraperzia, N.M. Lakin, E. Castellucci and P. Bréchignac, High-resolu- tion spectroscopy of aniline-rare gas Van der Waals complexes: results and comparison	(,
with theoretical predictions	260 (1996) 87
Bellert, D., T. Buthelezi, K. Dezfulian, T. Hayes and P.J. Brucat, The binding energy of	
VXe ⁺	260 (1996) 458
Bénard, M., see Poblet, JM.	260 (1996) 577
Bent, B.E., see Teplyakov, A.V.	260 (1996) 65
Berardi, R., F. Spinozzi and C. Zannoni, The conformations of alkyl chains in fluids. A	260 (1006) 622
maximum entropy approach Beresnev, L.A., see Soto Bustamante, E.A.	260 (1996) 633
Biemans, H.A.M., see Put, E.J.H.	260 (1996) 447 260 (1996) 136
Bieske, E.J., see Dopfer, O.	260 (1996) 545
Bill, J., see Redlich, Ph.	260 (1996) 465
Blinov, L.M., see Soto Bustamante, E.A.	260 (1996) 447
Blumberg, W.A.M., see Dodd, J.A.	260 (1996) 103
Bo, C., see Poblet, JM.	260 (1996) 577
Boens, N. and A. Kowalczyk, Identifiability of competitive intermolecular three-state	200 (1))0)011
excited-state processes	260 (1996) 326
Bofill, J.M., An updated Hessian formula for optimizing transition structures which	200 (1110) 020
explicitly contains the potential structure of the desired transition vector	260 (1996) 359
Boganov, S.E., see Becerra, R.	260 (1996) 433
Bonzel, H.P., see Baumann, P.	260 (1996) 215
Bradshaw, A.M., see Köppe, H.M.	260 (1996) 223
Bréchignac, P., see Becucci, M.	260 (1996) 87
Brucat, P.J., see Bellert, D.	260 (1996) 458
Bulthuis, J., see van Leuken, J.J.	260 (1996) 595
Burke, L.A., see Jensen, J.O.	260 (1996) 499
Butcher, G., see Bain, A.J.	260 (1996) 441
Buthelezi, T., see Bellert, D.	260 (1996) 458
Caminati, W., see Negri, F.	260 (1996) 119
Carmeli, I., D. Huppert, L.M. Tolbert and J.E. Haubrich, Ultrafast excited-state proton	
transfer from dicyano-naphthol	260 (1996) 109
Carrington, A., D.I. Gammie, A.M. Shaw, S.M. Taylor and J.M. Hutson, Observation of a microwave spectrum of the long-range He · · · H ₂ ⁺ complex	260 (1996) 395
Castellucci, E., see Becucci, M.	260 (1996) 87
Céolin, R., see Barrio, M.	260 (1996) 78
Chandna, P., see Bain, A.J.	260 (1996) 441
Chen, B., see Wang, D.	260 (1996) 95
Chen, B., see Wang, D.	260 (1996) 99
Chen, X., see Wan, R.	260 (1996) 539
Chen, Y., see He, K.	260 (1996) 257
Chibisov, A.K., see Görner, H.	260 (1996) 59
Clays, K., see Put, E.J.H.	260 (1996) 136
Cohen, M.J. and J.N. Murrell, An analytic function for the three-body potential of He ₃	260 (1996) 371
Colbert, D.T., see Dai, H.	260 (1996) 471

Contreras, R., see Pérez, P.	260 (1996) 236
Conwell, E.M., see Sun, B.J.	260 (1996) 186
Cooke, S.A., see Cotti, G.	260 (1996) 388
Cotti, G., S.A. Cooke, C.M. Evans, J.H. Holloway and A.C. Legon, A complex of molecular fluorine with an organic compound detected in the gas phase: the rotational	
spectrum of $CH_3CN \cdots F_2$	260 (1006) 200
Cramer, C.J., see Parasuk, V.	260 (1996) 388 260 (1996) 7
Cramer, C.J., see Parasuk, V. Cremer, D., see Kraka, E.	260 (1996) 7
Cremer, D., see Kraka, E.	260 (1996) 43
Dafinei, I., see Martini, M.	260 (1996) 418
Dai, H., A.G. Rinzler, P. Nikolaev, A. Thess, D.T. Colbert and R.E. Smalley, Single-wall	
nanotubes produced by metal-catalyzed disproportionation of carbon monoxide	260 (1996) 471
Darling, G.D., see Turkewitsch, P.	260 (1996) 142
Davidson, E.R., Comment on "Comment on Dunning's correlation-consistent basis sets"	260 (1996) 514
Davison, S.G., see Mišković, Z.L.	260 (1996) 647
Deng, WQ., see Zhan, J.	260 (1996) 191
Dezfulian, K., see Bellert, D.	260 (1996) 458
Ding, C., see Wang, D.	260 (1996) 95
Dodd, J.A., S.M. Singleton, S.M. Miller, P.S. Armstrong and W.A.M. Blumberg, Vibra-	
tional relaxation of $NO(v = 2, 3)$ by atomic oxygen	260 (1996) 103
Dopfer, O., S.A. Nizkorodov, M. Meuwly, E.J. Bieske and J.P. Maier, The v ₃ infrared	
spectrum of the He-NH ₄ complex	260 (1996) 545
Dunford, C.L., B.E. Williamson, P.N. Schatz, Zbigniew Gasyna, E. Krausz and H. Riesen,	
Spectral hole-burning and magnetic circular dichroism of matrix-isolated copper	
phthalocyanine	260 (1996) 522
Eckert-Maksić, M., see Maksić, Z.B.	260 (1996) 572
Egorov, M.P., see Becerra, R.	260 (1996) 433
Ellson, D.A., see O'Malley, P.J.	260 (1996) 492
English, R.A., see Mišković, Z.L.	260 (1996) 647
Evans, C.M., see Cotti, G.	260 (1996) 388
Drain, ourin, see com, or	200 (1770) 500
Fabeni, P., see Martini, M.	260 (1996) 418
Fang, WH., Ab initio studies on photochemical reactions of Al atoms with H ₂ molecules	260 (1996) 565
Feldhaus, J., see Köppe, H.M.	260 (1996) 223
Feng, J., A. Yekta and M.A. Winnik, Direct non-radiative energy transfer across a sharp	
polymer interface	260 (1996) 296
Feng, Z.W., see Lee, SY.	260 (1996) 511
Fischer, M. and J. Georges, Fluorescence quantum yield of rhodamine 6G in ethanol as a	
function of concentration using thermal lens spectrometry	260 (1996) 115
Forney, D., see Schäfer, M.	260 (1996) 406
Francisco, J.S., An ab initio study of the structure and stability of Cl- HOCl anionic	(
complex	260 (1996) 485
Freivogel, P., see Schäfer, M.	260 (1996) 406
Fritz, R., A. Kungl, W. Rettig and J. Springer, Photochemical fluorescence probes: rate	
distributions in solid polymers	260 (1996) 409
Fukuda, Y., T. Tsukuda, A. Terasaki and T. Kondow, Photodissociation of acrylonitrile	200 (1000) 100
cluster anions	260 (1996) 423
Fulara, J., see Schäfer, M.	260 (1996) 406

Gammie, D.I., see Carrington, A.	260 (1996) 395
Ganju, R.R., see Turkewitsch, P.	260 (1996) 142
Gao, Y., see Wang, D.	260 (1996) 95
Garrett, W.R., see Moore, M.A.	260 (1996) 280
Gauss, J., see Kollwitz, M.	260 (1996) 639
Georges, J., see Fischer, M.	260 (1996) 115
Georgiou, S., A. Koubenakis, P. Kontoleta and M. Syrrou, Induction and memory effects in	
the UV laser ablation of weakly absorbing van der Waals films	260 (1996) 166
Glukhovtsev, M.N., R.D. Bach, A. Pross and L. Radom, The performance of B3-LYP	
density functional theory in describing S _N 2 reactions at saturated carbon	260 (1996) 558
Goodman, F.O., see Mišković, Z.L.	260 (1996) 647
Görner, H., L.S. Atabekyan and A.K. Chibisov, Photoprocesses in spiropyran-derived	
merocyanines: singlet versus triplet pathway	260 (1996) 59
Goudsmit, GH. and H. Paul, CIDEP measurement of the electron spin-lattice relaxation	
time of triplet benzophenone in liquid solution	260 (1996) 453
Grutter, M., see Schäfer, M.	260 (1996) 406
Haase, W., see Soto Bustamante, E.A.	260 (1996) 447
Hamplova, V., see Martini, M.	260 (1996) 418
Han, KL., see Zhan, J.	260 (1996) 191
Hasegawa, Y., K. Murakoshi, Y. Wada, JH. Kim, N. Nakashima, T. Yamanaka and S.	
Yanagida, Characteristic emission of β-diketonato Nd3+ complexes dressed with perflu-	
oroalkyl groups in DMSO-d ₆	260 (1996) 173
Hättig, C., Recurrence relations for the direct calculation of spherical multipole interaction	
tensors and Coulomb-type interaction energies	260 (1996) 341
Haubrich, J.E., see Carmeli, I.	260 (1996) 109
Hayes, T., see Bellert, D.	260 (1996) 458
He, GZ., see Zhan, J.	260 (1996) 191
He, K., F. Li, J. Li, Y. Liu and Y. Chen, CO laser frequency stability determined by a laser	
magnetic resonance method	260 (1996) 257
Head-Gordon, M., see Ishikawa, N.	260 (1996) 178
Heaven, M.C., see Van Marter, T.	260 (1996) 201
Henderson, D., see Kovalenko, A.	260 (1996) 352
Henriksen, N.E., see Svendsen, C.	260 (1996) 627
Herman, M., see Abbouti Temsamani, M.	260 (1996) 253
Hermansson, K., A simulated X-ray diffraction study of liquid water: beyond the	
spherical-atom approximation	260 (1996) 229
Holloway, J.H., see Cotti, G.	260 (1996) 388
Honda, T., see Yamamoto, S.	260 (1996) 208
Hudgens, J.W., see Ashfold, M.N.R.	260 (1996) 27
Huppert, D., see Carmeli, I.	260 (1996) 109
Hutson, J.M., see Carrington, A.	260 (1996) 395
Ibuki, T. and A. Kamamoto, Photoabsorption cross section and radiative processes of	
GeCl ₄ in the valence region of 6-31 eV	260 (1996) 314
Ishikawa, N., D. Maurice and M. Head-Gordon, An ab initio study of excited states of the	
phthalocyanine magnesium complex and its cation radical	260 (1996) 178
Ito, M., see Takegoshi, K.	260 (1996) 159
Iwata, S., see Asada, T.	260 (1996) 1

Jenekhe, S.A., see Tarkka, R.M.	260 (1996) 533
Jensen, J.O., P.N. Krishnan and L.A. Burke, Theoretical study of water clusters: nonamers	260 (1996) 499
Jiang, P., see Wang, D.	260 (1996) 99
Johnson, M.S., K.T. Kuwata, CK. Wong and M. Okumura, Vibrational spectrum of	200 (1770) 77
1-(H ₂ O)	260 (1996) 551
Johnson III, R.D., see Ashfold, M.N.R.	260 (1996) 27
Jopling, D., see Moss, R.E.	260 (1996) 377
Kais, S., see Serra, P.	260 (1996) 302
Kamamoto, A., see Ibuki, T.	260 (1996) 314
Kempgens, B., see Köppe, H.M.	260 (1996) 223
Kilcoyne, A.L.D., see Köppe, H.M.	260 (1996) 223
Kim, JH., see Hasegawa, Y.	260 (1996) 223
	200 (1990) 173
Kinugawa, T., Semiclassical Monte Carlo path integration for the time-domain treatment of barrier tunneling: bifurcations into real and imaginary trajectories	260 (1006) 242
	260 (1996) 243
Klein, Ch.Th., see Marconi, G.	260 (1996) 589
Klein, S., E. Kochanski and A. Strich, Electric properties of the oxonium ion in its ground	240 (1004) 24
and two lowest excited states	260 (1996) 34
Klessinger, M., see Maksić, Z.B.	260 (1996) 572
Kochanski, E., see Klein, S.	260 (1996) 34
Köhler, G., see Marconi, G.	260 (1996) 589
Köller, L., see Tiggesbäumker, J.	260 (1996) 428
Kollwitz, M. and J. Gauss, A direct implementation of the GIAO-MBPT(2) method for calculating NMR chemical shifts. Application to the naphthalenium and anthracenium	
ions	260 (1996) 639
Kondow, T., see Fukuda, Y.	260 (1996) 423
Kontoleta, P., see Georgiou, S.	260 (1996) 166
Köppe, H.M., B. Kempgens, A.L.D. Kilcoyne, J. Feldhaus and A.M. Bradshaw, Autoioni- sation of doubly excited states in the C 1s photoexcitation of CO	260 (1996) 223
Korolkov, M.V., J. Manz, G.K. Paramonov and B. Schmidt, Vibrationally state-selective photoassociation by infrared sub-picosecond laser pulses: model simulations for O + H	200 (1990) 223
\rightarrow OH(v)	260 (1996) 604
Koubenakis, A., see Georgiou, S.	260 (1996) 166
Kovalenko, A., O. Pizio, D. Henderson and S. Sokolowski, Chemical equilibrium in a solution of a dimerizing fluid in a hard sphere solvent. Associative Percus-Yevick	
approximation	260 (1996) 352
Kowalczyk, A., see Boens, N.	260 (1996) 326
Kowari, Ki. and B. Shizgal, On the existence of a steady electron distribution for systems with electron attachment: Ar-CCl ₄ mixtures	260 (1996) 365
Koyama, Y., see Mizoguchi, T.	260 (1996) 153
Kraka, E., C.P. Sosa and D. Cremer, Dimesitylketone O-oxide: verification of an unusually	200 (1990) 133
stable carbonyl oxide by NMR chemical shift calculations	260 (1996) 43
Kraus, M., J. Müller, D. Lebender and F.W. Schneider, Resonant chaos control by periodic	
perturbations	260 (1996) 51
Krausz, E., see Dunford, C.L.	260 (1996) 522
Krausz, E., see Riesen, H.	260 (1996) 130
Krishnan, P.N., see Jensen, J.O.	260 (1996) 499
Kungl, A., see Fritz, R.	260 (1996) 409
2	200 (1770) 107

Kuwahara, D. and T. Nakai, Spinning-sideband suppression in DOR NMR spectra using a	
magic-angle-turning technique	260 (1996) 249
Kuwata, K.T., see Johnson, M.S.	260 (1996) 551
Lakin, N.M., see Becucci, M.	260 (1996) 87
Landwehr, P., H. Port and H.C. Wolf, Optical detection of the lowest triplet excited state of	
oligothiophenes and anthryloligothiophenes	260 (1996) 125
Lathiotakis, N., see Andriotis, A.N.	260 (1996) 15
Lebender, D., see Kraus, M.	260 (1996) 51
Lecoq, P., see Martini, M.	260 (1996) 418
Lee, SY. and Z.W. Feng, Reply to the Comment on the inversion of Raman excitation	
profiles	260 (1996) 511
Legon, A.C., see Cotti, G.	260 (1996) 388
Le Sueur, C.R., see Zobov, N.F.	260 (1996) 381
Levine, R.D., see Remacle, F.	260 (1996) 507
Li, F., see He, K.	260 (1996) 257
Li, J., see He, K.	260 (1996) 257
Li, S., see Wang, D.	260 (1996) 95
Li, Y., see Wang, D.	260 (1996) 95
Li, Y., see Wang, D.	260 (1996) 99
Liu, Y., see He, K.	260 (1996) 257
Loeffler, J., see Redlich, Ph.	260 (1996) 465
López, D.O., see Barrio, M.	260 (1996) 78
Lou, NQ., see Zhan, J.	260 (1996) 191
Luijkx, C.P.M., see Put, E.J.H.	260 (1996) 136
Maier, J.P., see Dopfer, O.	260 (1996) 545
Maier, J.P., see Schäfer, M.	260 (1996) 406
Maksić, Z.B., M. Eckert-Maksić and M. Klessinger, Additivity of the proton affinity of	
polysubstituted benzenes: the ipso position	260 (1996) 572
Manz, J., see Korolkov, M.V.	260 (1996) 604
Marconi, G., B. Mayer, Ch.Th. Klein and G. Köhler, The structure of higher order	
C ₆₀ -fullerene-γ-cyclodextrin complexes	260 (1996) 589
Martini, M., G. Spinolo, A. Vedda, M. Nikl, K. Nitsch, V. Hamplova, P. Fabeni, G.P.	
Pazzi, I. Dafinei and P. Lecoq, Trap levels in PbWO ₄ crystals: correlation with	
luminescence decay kinetics	260 (1996) 418
Matsuoka, O., see Yamamoto, S.	260 (1996) 208
Matsuura, K., see Mizoguchi, T.	260 (1996) 153
Maurice, D., see Ishikawa, N.	260 (1996) 178
Mayer, B., see Marconi, G.	260 (1996) 589
Meijer, E.W., see Put, E.J.H.	260 (1996) 136
Meiwes-Broer, KH., see Tiggesbäumker, J.	260 (1996) 428
Menon, M., see Andriotis, A.N.	260 (1996) 15
Meuwly, M., see Dopfer, O.	260 (1996) 545
Miao, YJ., see Sun, B.J.	260 (1996) 186
Miller, S.M., see Dodd, J.A.	260 (1996) 103
Mimuro, M., see Akimoto, S.	260 (1996) 147
Mišković, Z.L., R.A. English, S.G. Davison and F.O. Goodman, Many-neighbor treatment	260 (1604) 647
of molecular-switch transmission	260 (1996) 647

Mizoguchi, T., K. Matsuura, K. Shimada and Y. Koyama, The structure of the aggregate form of bacteriochlorophyll c showing the Q _y absorption above 740 nm: a ¹ H-NMR	
study	260 (1996) 153
Molin, Yu.N., see Tadjikov, B.M.	260 (1996) 529
Moore, M.A., V.W. Barnett and W.R. Garrett, Shifts in certain optically-pumped stimu-	200 (1990) 329
lated emissions under multi-beam pumping	260 (1996) 280
Morozov, V.A., R.Z. Sagdeev and A.A. Zharikov, Influence of the exchange interaction on quantum beats in the recombination luminescence of radical ion pairs in media of	260 (1006) 611
various polarities	260 (1996) 611
Mortensen, O.S., see Svendsen, C.	260 (1996) 627
Moss, R.E. and D. Jopling, Nonadiabatic effects in HD ⁺	260 (1996) 377
Müller, J., see Kraus, M.	260 (1996) 51
Murakoshi, K., see Hasegawa, Y.	260 (1996) 173
Murrell, J.N., see Cohen, M.J.	260 (1996) 371
Nakai, T., see Kuwahara, D.	260 (1996) 249
Nakashima, N., see Hasegawa, Y.	260 (1996) 173
Nefedov, O.M., see Becerra, R.	260 (1996) 433
Negri, F. and W. Caminati, The tautomeric equilibrium of benzotriazole: new evidence	
from the jet-cooled rotational spectrum and first principles calculations	260 (1996) 119
Nezbeda, I. and J. Slovák, Can Lennard-Jones particles with four bonding sites realistically	
model water?	260 (1996) 336
Nikl, M., see Martini, M.	260 (1996) 418
Nikolaev, P., see Dai, H.	260 (1996) 471
Nishimura, Y., see Akimoto, S.	260 (1996) 147
Nitsch, K., see Martini, M.	260 (1996) 418
Nizkorodov, S.A., see Dopfer, O.	260 (1996) 545
Nozoye, H., see Yamamoto, S.	260 (1996) 208
Ogata, T., see Akimoto, S.	260 (1996) 147
Okumura, M., see Johnson, M.S.	260 (1996) 551
O'Malley, P.J. and D.A. Ellson, The calculation of ¹ H, ¹³ C, ¹⁴ N isotropic and anisotropic hyperfine interactions for the 3-methyl indole cation and neutral radicals using hybrid	
density functional methods: models for in vivo tryptophan-based radicals	260 (1996) 492
Ostrovskii, B.I., see Soto Bustamante, E.A.	260 (1996) 447
Paramonov, G.K., see Korolkov, M.V.	260 (1996) 604
Parasuk, V. and C.J. Cramer, Multireference configuration interaction and second-order perturbation theory calculations for the 1 3A", 1 A", and 1 A' electronic states of	
vinylnitrene and vinylphosphinidene	260 (1996) 7
Pascual-Ahuir, J.L., see Tortonda, F.R.	260 (1996) 21
Paul, H., see Goudsmit, GH.	260 (1996) 453
Pazzi, G.P., see Martini, M.	260 (1996) 418
Pérez, P., R. Contreras and A. Aizman, Solvation energies from the linear response	
function of density functional theory	260 (1996) 236
Persoons, A., see Put, E.J.H.	260 (1996) 136
Pfohl, T., D. Beaglehole and H. Riegler, An ellipsometric study of the surface freezing of	
liquid alkanes	260 (1996) 82

Pietraperzia, G., see Becucci, M.	260 (1996) 87
Pirug, G., see Baumann, P.	260 (1996) 215
Pizio, O., see Kovalenko, A.	260 (1996) 352
Plummer, D., see Van Marter, T.	260 (1996) 201
Poblet, JM., C. Bo, MM. Rohmer and M. Bénard, Ab initio SCF and DFT models of	f
met-car adducts: $Ti_8C_{12}(L)_n$ (L = Cl, NH ₃ , CO, C_6H_6 ; $n = 4, 8$)	260 (1996) 577
Polyansky, O.L., see Zobov, N.F.	260 (1996) 381
Port, H., see Landwehr, P.	260 (1996) 125
Powell, W.S., see Turkewitsch, P.	260 (1996) 142
Pross, A., see Glukhovtsev, M.N.	260 (1996) 558
Put, E.J.H., K. Clays, A. Persoons, H.A.M. Biemans, C.P.M. Luijkx and E.W. Meijer, Th	
symmetry of functionalized poly(propylene imine) dendrimers probed with hyper	r-
Rayleigh scattering	260 (1996) 136
Radom, L., see Glukhovtsev, M.N.	260 (1996) 558
Redlich, Ph., J. Loeffler, P.M. Ajayan, J. Bill, F. Aldinger and M. Rühle, B-C-1	N
nanotubes and boron doping of carbon nanotubes	260 (1996) 465
Reineker, P., V.M. Agranovich and V.I. Yudson, Second harmonic generation induced b	y
charge-transfer complexes in a centrosymmetric medium	260 (1996) 621
Remacle, F. and R.D. Levine, Comment on the inversion of Raman excitation profiles	260 (1996) 507
Rettig, W., see Fritz, R.	260 (1996) 409
Riegler, H., see Pfohl, T.	260 (1996) 82
Riesen, H. and E. Krausz, Stark effects in the lowest-excited 3MLCT states of	of
$[Ru(bpy)(bpy-d_8)_2]^{2+}$ in $[Zn(bpy)_3](ClO_4)_2$ (bpy = 2,2'-bipyridine)	260 (1996) 130
Riesen, H., see Dunford, C.L.	260 (1996) 522
Rinzler, A.G., see Dai, H.	260 (1996) 471
Rohmer, MM., see Poblet, JM.	260 (1996) 577
Rühle, M., see Redlich, Ph.	260 (1996) 465
Sagdeev, R.Z., see Morozov, V.A.	260 (1996) 611
Sauer, S.P.A., Theoretical estimates of the rotational g-factor, magnetizability and electronic	ic
dipole moment of GaH	260 (1996) 271
Schäfer, M., M. Grutter, J. Fulara, D. Forney, P. Freivogel and J.P. Maier, Emission	on
spectrum of mass-selected C_4^- : $C^2\Pi_u \to X^2\Pi_g$ in a neon matrix	260 (1996) 406
Schatz, P.N., see Dunford, C.L.	260 (1996) 522
Schmidt, B., see Korolkov, M.V.	260 (1996) 604
Schneider, F.W., see Kraus, M.	260 (1996) 51
Serra, P. and S. Kais, Multicritical phenomena for the hydrogen molecule at the large-d	i-
mension limit	260 (1996) 302
Shaw, A.M., see Carrington, A.	260 (1996) 395
Shimada, K., see Mizoguchi, T.	260 (1996) 153
Shizgal, B., see Kowari, Ki.	260 (1996) 365
Shushin, A.I., The STrelaxation mechanism of magnetic field effects on radical pa	iir
recombination. Intraradical relaxation versus STrelaxation transitions	260 (1996) 261
Silla, E., see Tortonda, F.R.	260 (1996) 21
Simpson, C.J.S.M., see Turnidge, M.L.	260 (1996) 519
Singleton, S.M., see Dodd, J.A.	260 (1996) 103
Slovák, J., see Nezbeda, I.	260 (1996) 336

Smalley, R.E., see Dai, H. Snijders, J.G., see van Leuken, J.J. Sosa, C.P., see Kraka, E. Soto Bustamante, E.A., S.V. Yablonskii, B.I. Ostrovskii, L.A. Beresnev, L.M. Blinov and W. Haase, Antiferroelectric achiral mesogenic polymer Spinolo, G., see Martini, M. Spinozzi, F., see Berardi, R. Spinozzi, F., see Berardi, R. Spinozzi, F., see racijkov, B.M. Spinozzi,		
Sokolowski, S., see Kovalenko, A. Sosa, C.P., see Kraka, E. Soto Bustamante, E.A., S.V. Yablonskii, B.I. Ostrovskii, L.A. Beresnev, L.M. Blinov and W. Haase, Antiferroelectric achiral mesogenic polymer Spinolo, G., see Martini, M. Spinozzi, F., see Berardi, R. Springer, J., see Fritz, R. Stolte, S., see van Leuken, J.J. Stolte, S., see van Leuken, J.J. Strich, A., see Klein, S. Sugiyama, S., see Yamamoto, S. Sun, B.J., YJ. Miao, G.C. Bazan and E.M. Conwell, Luminescent behavior of soluble poly(para-phenylene vinylene) copolymers Svendsen, C., O.S. Mortensen and N.E. Henriksen, Calculation of optical absorption and resonance Raman correlators using time-dependent recursion relationships Syrrou, M., see Georgiou, S. Szwarc, H., see Barrio, M. Tachikawa, H., Ab initio MRSDCI calculations of the g-tensor components of [Cu(H-jO) _k]F* complexes Tadjikov, B.M., D.V. Stass and Yu.N. Molin, MARY-detected ESR spectra of radical ions in liquid solutions for systems with crossing Zeeman levels Takeda, K., see Takegoshi, K. Takeda, K., see Takegoshi, K. Takeda, K., see Takegoshi, K. Tamarit, J.L., see Barrio, M. 260 (1996) 331 Zamarit, J.L., see Barrio, M. 260 (1996) 332 260 (1996) 352 260 (1996) 428 260 (1996) 438 260 (1996) 438 260 (1996) 428 260 (1996) 439 260 (1996) 331 260 (1996) 331 260 (1996) 331 260 (1996) 331 260 (1996) 331 260 (1996) 331 260 (1996) 331 260 (1996) 331 260 (1996) 331 260 (1996) 331 260 (1996) 331 260 (1996) 331 260 (1996) 332 260 (1996) 332 260 (1996) 332 260 (1996) 332 260 (1996) 332 260 (1996) 348 260 (1996) 348 260 (1996) 349 260 (1996) 348 260 (1996) 349 260 (1996) 349 260 (1996) 352 260 (1996) 353 260 (1996) 352 260 (1996) 353 260 (1996)		260 (1996) 471
Sosa, C.P., see Kraka, E. Soto Bustamante, E.A., S.V. Yablonskii, B.I. Ostrovskii, L.A. Beresnev, L.M. Blinov and W. Haase, Antiferroelectric achiral mesogenic polymer Spinolo, G., see Martini, M. Spinozzi, F., see Berardi, R. Stass, D.V., see Tadjikov, B.M. Stole, S., see van Leuken, J.J. Strich, A., see Klein, S. Sugiyama, S., see Yamamoto, S. Sun, B.J., YJ. Miao, G.C. Bazan and E.M. Conwell, Luminescent behavior of soluble poly(para-phenylene vinylene) copolymers Svendsen, C., O.S. Mortensen and N.E. Henriksen, Calculation of optical absorption and resonance Raman correlators using time-dependent recursion relationships Syrou, M., see Georgiou, S. Szwarc, H., see Barrio, M. Tachikawa, H., Ab initio MRSDCI calculations of the g-tensor components of [Cu(H ₂ O) _g] ^{F*} complexes Tadjikov, B.M., D.V. Stass and Yu.N. Molin, MARY-detected ESR spectra of radical ions in liquid solutions for systems with crossing Zeeman levels Takegoshi, K., K. Takeda and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Tennyson, J., see Zobov, N.F. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terasaki, A., see Fukuda, Y. Thess, A., see Dai, H. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carringtin, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Abuir, E. Silla and I. Tuñón, Why is glycine a zwitterion		260 (1996) 595
Soto Bustamante, E.A., S.V. Yablonskii, B.I. Ostrovskii, L.A. Beresnev, L.M. Blinov and W. Haase, Antiferroelectric achiral mesogenic polymer Spinolo, G., see Martini, M. Spinozzi, F., see Berardi, R. Springer, J., see Fritz, R. Stass, D.V., see Tadigikov, B.M. Stolte, S., see van Leuken, J.J. Strich, A., see Klein, S. Sugiyama, S., see Yamamoto, S. Sun, B.J., YJ. Miao, G.C. Bazan and E.M. Conwell, Luminescent behavior of soluble poly(para-phenylner vinylene) copolymers Svendsen, C., O.S. Mortensen and N.E. Henriksen, Calculation of optical absorption and resonance Raman correlators using time-dependent recursion relationships Syrrou, M., see Georgiou, S. Syrrou, M., see Georgiou, S. Szwarc, H., see Barrio, M. Tachikawa, H., Ab initio MRSDCI calculations of the g-tensor components of [Cu(H ₂ O) ₆] ²⁺ complexes Tadjikov, B.M., D.V. Stass and Yu.N. Molin, MARY-detected ESR spectra of radical ions in liquid solutions for systems with crossing Zeeman levels Takaichi, S., see Akimoto, S. Takeda, K., see Takegoshi, K. Takegoshi, K., M. Ito and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Tennyson, J., see Zobov, N.F. Terao, T., see Takegoshi, K. Terasaki, A., see Pukuda, Y. Thess, A., see Dai, H. Tiggesblumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carringii, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 dec (1996) 195 260 (1996) 195 260 (1996) 195 260 (1996) 195 260 (1996) 195 260 (1996) 331 260 (1996) 331 260 (1996) 331 260 (1996) 331 260 (1996) 395 260 (1996) 395 260 (1996) 395 260 (1996) 395 260 (1996) 3	Sokolowski, S., see Kovalenko, A.	260 (1996) 352
W. Haase, Antiferroelectric achiral mesogenic polymer Spinolo, G., see Martini, M. Spinozzi, F., see Berardi, R. Stass, D.V., see Tadijkov, B.M. Stole, S., see van Leuken, J.J. Strich, A., see Klein, S. Sugiyama, S., see Yamamoto, S. Sun, B.J., YJ. Miao, G.C. Bazan and E.M. Conwell, Luminescent behavior of soluble poly(para-phenylene vinylene) copolymers Svendsen, C., O.S. Mortensen and N.E. Henriksen, Calculation of optical absorption and resonance Raman correlators using time-dependent recursion relationships Syrrou, M., see Georgiou, S. Szwarc, H., see Barrio, M. Tachikawa, H., Ab initio MRSDCI calculations of the g-tensor components of [Cu(H,O),p] ²⁺ complexes Tadijikov, B.M., D.V. Stass and Yu.N. Molin, MARY-detected ESR spectra of radical ions in liquid solutions for systems with crossing Zeeman levels Takaichi, S., see Akimoto, S. Takeda, K., see Takegoshi, K. Takegoshi, K., K. Takeda and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., K. Takeda and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Terao, T., see Takegoshi, K. Terasaki, A., see Fukuda, Y. Thess, A., see Pai, M. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 dec (1996) 195 Tortonda, F.R., J.L. Pascual-Abuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in	Sosa, C.P., see Kraka, E.	260 (1996) 43
Spinolo, G., see Martini, M. Spinozzi, F., see Berardi, R. Springer, J., see Fritz, R. Stass, D.V., see Tadjikov, B.M. Stass, D.V., see Tadjikov, B.M. Strich, A., see Klein, S. Sugiyama, S., see Yamamoto, S. Sun, B.J., YJ. Miao, G.C. Bazan and E.M. Conwell, Luminescent behavior of soluble poly(para-phenylene vinylene) copolymers Svendsen, C., O.S. Mortensen and N.E. Henriksen, Calculation of optical absorption and resonance Raman correlators using time-dependent recursion relationships Svendsen, C., O.S. Mortensen and N.E. Henriksen, Calculation of optical absorption and resonance Raman correlators using time-dependent recursion relationships Svendsen, C., O.S. Mortensen and N.E. Henriksen, Calculation of optical absorption and resonance Raman correlators using time-dependent recursion relationships Svendsen, C., O.S. Mortensen and N.E. Henriksen, Calculation of optical absorption and resonance Raman correlators using time-dependent recursion relationships Svendsen, C., O.S. Mortensen and N.E. Henriksen, Calculation of optical absorption and resonance Raman correlators using time-dependent recursion relationships Svendsen, C., O.S. Mortensen and N.E. Henriksen, Calculation of optical absorption and resonance Raman correlators using time-dependent recursion relationships Svendsen, C., O.S. Mortensen and N.E. Henriksen, Calculation of optical absorption and resonance Raman correlators using time-dependent recursion relationships Svendsen, C., O.S. Mortensen and N.E. Henriksen, Calculation of optical absorption and resonance Raman correlators using time-dependent recursion relationships Svendsen, C., O.S. Mortensen and N.E. Henriksen, Calculation of optical absorption and resonance Raman correlators using time-dependent recursion relationships Scolo (1996) 527 260 (1996) 582 260 (1996) 582 260 (1996) 582 260 (1996) 582 260 (1996) 582 260 (1996) 582 260 (1996) 582 260 (1996) 582 260 (1996) 331 260 (1996) 331 260 (1996) 331 260 (1996) 331 260 (1996) 331 260 (1996) 331 260 (1996) 331 260 (1996) 331 260 (1996) 331 2	Soto Bustamante, E.A., S.V. Yablonskii, B.I. Ostrovskii, L.A. Beresnev, L.M. Blinov and	
Spinozzi, F., see Berardi, R. Springer, J., see Fritz, R. Springer, J., see Tritz, R. Springer, J., see Tritz, R. Stass, D.V., see Tadjikov, B.M. Strich, A., see Klein, S. Sugiyama, S., see yamamoto, S. Sun, B.J., YJ. Miao, G.C. Bazan and E.M. Conwell, Luminescent behavior of soluble poly(para-phenylene vinylene) copolymers Svendsen, C., O.S. Mortensen and N.E. Henriksen, Calculation of optical absorption and resonance Raman correlators using time-dependent recursion relationships Syrou, M., see Georgiou, S. Szwarc, H., see Barrio, M. Tachikawa, H., Ab initio MRSDCI calculations of the g-tensor components of [Cu(H ₂ O) ₆] ⁺ complexes Tadjikov, B.M., D.V. Stass and Yu.N. Molin, MARY-detected ESR spectra of radical ions in liquid solutions for systems with crossing Zeeman levels Takaichi, S., see Akimoto, S. Takeda, K., see Takegoshi, K. Takegoshi, K., M. Ito and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Tennyson, J., see Zobov, N.F. Terao, T., see Takegoshi, K. Terasaki, A., see Plauda, Y. Thess, A., see Pau, H. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound–free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in	W. Haase, Antiferroelectric achiral mesogenic polymer	260 (1996) 447
Springer, J., see Fritz, R. Stass, D.V., see Tadjikov, B.M. Stole, S., see van Leuken, J.J. Strich, A., see Klein, S. Sugiyama, S., see Yamamoto, S. Sun, B.J., YJ. Miao, G.C. Bazan and E.M. Conwell, Luminescent behavior of soluble poly(para-phenylene vinylene) copolymers Svendsen, C., O.S. Mortensen and N.E. Henriksen, Calculation of optical absorption and resonance Raman correlators using time-dependent recursion relationships Syrrou, M., see Georgiou, S. Szwarc, H., see Barrio, M. Tachikawa, H., Ab initio MRSDCI calculations of the g-tensor components of [Cu(H ₁ O ₆] ²⁺ complexes Tadjikov, B.M., D.V. Stass and Yu.N. Molin, MARY-detected ESR spectra of radical ions in liquid solutions for systems with crossing Zeeman levels Takacia, K., see Takegoshi, K. Takeda, K., K. Takeda and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Ternyskon, J., see Zobov, N.F. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Teraski, A., see Dai, H. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmell, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in	Spinolo, G., see Martini, M.	260 (1996) 418
Stass, D.V., see Tadjikov, B.M. Stolte, S., see van Leuken, J.J. Sturich, A., see Klein, S. Sugiyama, S., see Yamamoto, S. Sun, B.J., YJ. Miao, G.C. Bazan and E.M. Conwell, Luminescent behavior of soluble poly(para-phenylene vinylene) copolymers Svendsen, C., O.S. Mortensen and N.E. Henriksen, Calculation of optical absorption and resonance Raman correlators using time-dependent recursion relationships Syrrou, M., see Georgiou, S. Szwarc, H., see Barrio, M. Tachikawa, H., Ab initio MRSDCI calculations of the g-tensor components of [Cu(H ₂ O) ₆] ²⁺ complexes Tadjikov, B.M., D.V. Stass and Yu.N. Molin, MARY-detected ESR spectra of radical ions in liquid solutions for systems with crossing Zeeman levels Takaichi, S., see Akimoto, S. Takeda, K., see Takegoshi, K. Takedoshi, K., M. Ito and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Terao, T., see Takegoshi, K. Terao, T.	Spinozzi, F., see Berardi, R.	260 (1996) 633
Stass, D.V., see Tadjikov, B.M. Stolte, S., see van Leuken, J.J. Sturich, A., see Klein, S. Sugiyama, S., see Yamamoto, S. Sun, B.J., YJ. Miao, G.C. Bazan and E.M. Conwell, Luminescent behavior of soluble poly(para-phenylene vinylene) copolymers Svendsen, C., O.S. Mortensen and N.E. Henriksen, Calculation of optical absorption and resonance Raman correlators using time-dependent recursion relationships Syrrou, M., see Georgiou, S. Szwarc, H., see Barrio, M. Tachikawa, H., Ab initio MRSDCI calculations of the g-tensor components of [Cu(H ₂ O) ₆] ²⁺ complexes Tadjikov, B.M., D.V. Stass and Yu.N. Molin, MARY-detected ESR spectra of radical ions in liquid solutions for systems with crossing Zeeman levels Takaichi, S., see Akimoto, S. Takeda, K., see Takegoshi, K. Takedoshi, K., M. Ito and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Terao, T., see Takegoshi, K. Terao, T.	Springer, J., see Fritz, R.	260 (1996) 409
Stolte, S., see van Leuken, J.J. Strich, A., see Klein, S. Sugiyama, S., see Yamamoto, S. Sun, B.J., YJ. Miao, G.C. Bazan and E.M. Conwell, Luminescent behavior of soluble poly(para-phenylene) copolymers Svendsen, C., O.S. Mortensen and N.E. Henriksen, Calculation of optical absorption and resonance Raman correlators using time-dependent recursion relationships Syrrou, M., see Georgiou, S. Szwarc, H., see Barrio, M. Tachikawa, H., Ab initio MRSDCI calculations of the g-tensor components of [Cu(H ₂ O _b _g ²⁺ complexes Tadjikov, B.M., D.V. Stass and Yu.N. Molin, MARY-detected ESR spectra of radical ions in liquid solutions for systems with crossing Zeeman levels Takaichi, S., see Akimoto, S. Takeda, K., see Takegoshi, K. Takegoshi, K., K. Takeda and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Taylor, S.M., see Carrington, A. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terao, T., see Takegoshi, K. Terasaki, A., see Fukuda, Y. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 dec (1996) 195 Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		
Strich, A., see Klein, S. Sugiyama, S., see Yamamoto, S. Sun, B.J., YJ. Miao, G.C. Bazan and E.M. Conwell, Luminescent behavior of soluble poly(para-phenylene vinylene) copolymers Svendsen, C., O.S. Mortensen and N.E. Henriksen, Calculation of optical absorption and resonance Raman correlators using time-dependent recursion relationships Syrrou, M., see Georgiou, S. Szwarc, H., see Barrio, M. Tachikawa, H., Ab initio MRSDCI calculations of the g-tensor components of [Cu(H ₂ O) ₆] ²⁺ complexes Tadjikov, B.M., D.V. Stass and Yu.N. Molin, MARY-detected ESR spectra of radical ions in liquid solutions for systems with crossing Zeeman levels Takaichi, S., see Akimoto, S. Takeda, K., see Takegoshi, K. Takegoshi, K., K. Takeda and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Zobov, N.F. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. T		
Sugiyama, S., see Yamamoto, S. Sun, B.J., YJ. Miao, G.C. Bazan and E.M. Conwell, Luminescent behavior of soluble poly(para-phenylene vinylene) copolymers Svendsen, C., O.S. Mortensen and N.E. Henriksen, Calculation of optical absorption and resonance Raman correlators using time-dependent recursion relationships Syrrou, M., see Georgiou, S. Syware, H., see Barrio, M. Tachikawa, H., Ab initio MRSDCI calculations of the g-tensor components of [Cu(H ₂ O) ₆] ²⁺ complexes Tadjikov, B.M., D.V. Stass and Yu.N. Molin, MARY-detected ESR spectra of radical ions in liquid solutions for systems with crossing Zeeman levels Takaichi, S., see Akimoto, S. Takeda, K., see Takegoshi, K. Takeda, K., see Takegoshi, K. Takeda, K., see Takegoshi, K. Takegoshi, K., M. Ito and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Tennyson, J., see Zobov, N.F. Teplyakov, A.V. and B.E. Bent, Infared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terao, T., see Takegoshi, K. Terasaki, A., see Pukuda, Y. Thess, A., see Dai, H. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 dec (1996) 195 Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		
Sun, B.J., YJ. Miao, G.C. Bazan and E.M. Conwell, Luminescent behavior of soluble poly(para-phenylene vinylene) copolymers Svendsen, C., O.S. Mortensen and N.E. Henriksen, Calculation of optical absorption and resonance Raman correlators using time-dependent recursion relationships Syrrou, M., see Georgiou, S. Szwarc, H., see Barrio, M. Tachikawa, H., Ab initio MRSDCI calculations of the g-tensor components of [Cu(H ₂ O _b) ²⁺ complexes Tadijkov, B.M., D.V. Stass and Yu.N. Molin, MARY-detected ESR spectra of radical ions in liquid solutions for systems with crossing Zeeman levels Takaichi, S., see Akimoto, S. Takedao, K., see Takegoshi, K. Takedgoshi, K., K. Takeda and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terao, T., see Takegoshi		
poly(para-phenylene vinylene) copolymers Svendsen, C., O.S. Mortensen and N.E. Henriksen, Calculation of optical absorption and resonance Raman correlators using time-dependent recursion relationships Syrrou, M., see Georgiou, S. Szwarc, H., see Barrio, M. Tachikawa, H., Ab initio MRSDCI calculations of the g-tensor components of [Cu(H ₂ O) ₆] ²⁺ complexes Tadjikov, B.M., D.V. Stass and Yu.N. Molin, MARY-detected ESR spectra of radical ions in liquid solutions for systems with crossing Zeeman levels Takachi, S., see Akimoto, S. Takegoshi, K., S. takeda and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Tennyson, J., see Zobov, N.F. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terao, Deuteron 2D exchange sample-turning NMR: 260 (1996) 159 260 (1996) 331 260 (1996) 331 260 (1996) 353 260 (1996) 353 260 (1996) 353 260 (1996) 353 260 (1996) 353 260 (1996) 353 260 (1996) 353 260 (1996) 353 260 (1996) 353 260 (1996) 353 260 (1996) 354 260 (1996) 452 260 (1996) 425 260 (1996) 427 260 (1996) 428 260 (1996) 428 260 (1996) 428 260 (1996) 428 260 (1996) 195 Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		200 (1770) 200
Svendsen, C., O.S. Mortensen and N.E. Henriksen, Calculation of optical absorption and resonance Raman correlators using time-dependent recursion relationships Syrrou, M., see Georgiou, S. Szwarc, H., see Barrio, M. Tachikawa, H., Ab initio MRSDCI calculations of the g-tensor components of [Cu(H ₂ O) _k P* complexes Tadjikov, B.M., D.V. Stass and Yu.N. Molin, MARY-detected ESR spectra of radical ions in liquid solutions for systems with crossing Zeeman levels Takaichi, S., see Akimoto, S. Takeda, K., see Takegoshi, K. Takegoshi, K., K. Takeda and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamrit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Tennyson, J., see Zobov, N.F. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terasaki, A., see Fukuda, Y. Thess, A., see Dai, H. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag, states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		260 (1996) 186
resonance Raman correlators using time-dependent recursion relationships Syrrou, M., see Georgiou, S. Szwarc, H., see Barrio, M. Tachikawa, H., Ab initio MRSDCI calculations of the g-tensor components of [Cu(H ₂ O ₆] ²⁺ complexes Tadjikov, B.M., D.V. Stass and Yu.N. Molin, MARY-detected ESR spectra of radical ions in liquid solutions for systems with crossing Zeeman levels Takaichi, S., see Akimoto, S. Takaeda, K., see Takegoshi, K. Takegoshi, K., K. Takeda and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Tennyson, J., see Zobov, N.F. Tennyson, J., see Zobov, N.F. Tennyson, J., see Zobov, N.F. Terao, T., see Takegoshi, K. Terao, T., se		200 (1770) 100
Syrrou, M., see Georgiou, S. Szwarc, H., see Barrio, M. Tachikawa, H., Ab initio MRSDCI calculations of the g-tensor components of [Cu(H ₂ O _b)] ²⁺ complexes Tadjikov, B.M., D.V. Stass and Yu.N. Molin, MARY-detected ESR spectra of radical ions in liquid solutions for systems with crossing Zeeman levels Takaichi, S., see Akimoto, S. Takeda, K., see Takegoshi, K. Takeda, K., K. Takeda and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Taylor, S.M., see Torii, H. Taylor, S.M., see Zobov, N.F. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terao, T., see Takegoshi, K. Terao, T., see Pakuda, Y. Tiggesbaumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		260 (1996) 627
Szwarc, H., see Barrio, M. Tachikawa, H., Ab initio MRSDCI calculations of the g-tensor components of [Cu(H,O) ₆] ²⁺ complexes Tadjikov, B.M., D.V. Stass and Yu.N. Molin, MARY-detected ESR spectra of radical ions in liquid solutions for systems with crossing Zeeman levels Takacichi, S., see Akimoto, S. Takegoshi, K., K. Takeda and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Taylor, S.M., see Carrington, A. Tenyson, J., see Zobov, N.F. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terao, T., see Takegoshi, K. Terao, T., see Pukuda, Y. Thess, A., see Dai, H. Tiggesbāumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 A and 2 A states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		
Tachikawa, H., Ab initio MRSDCI calculations of the g-tensor components of [Cu(H ₂ O) ₆] ²⁺ complexes Tadjikov, B.M., D.V. Stass and Yu.N. Molin, MARY-detected ESR spectra of radical ions in liquid solutions for systems with crossing Zeeman levels Takaichi, S., see Akimoto, S. Takeda, K., see Takegoshi, K. Takedoshi, K., Takeda and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Carrington, A. Taplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terao, T., see Takegoshi, K. Terasaki, A., see Pukuda, Y. Tiggesbāumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 ¹ Ag and 2 ¹ Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		
[Cu(H ₂ O) ₆] ²⁺ complexes Tadjikov, B.M., D.V. Stass and Yu.N. Molin, MARY-detected ESR spectra of radical ions in liquid solutions for systems with crossing Zeeman levels Takaichi, S., see Akimoto, S. Takedo, K., see Takegoshi, K. Takegoshi, K., K. Takeda and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Tennyson, J., see Zobov, N.F. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terasaki, A., see Fukuda, Y. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound–free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Agand 2 Agand 2 Agastates induced by molecular vibrations 260 (1996) 195 Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in	Sewale, II., see Dailo, M.	200 (1990) 76
[Cu(H ₂ O) ₆] ²⁺ complexes Tadjikov, B.M., D.V. Stass and Yu.N. Molin, MARY-detected ESR spectra of radical ions in liquid solutions for systems with crossing Zeeman levels Takaichi, S., see Akimoto, S. Takedo, K., see Takegoshi, K. Takegoshi, K., K. Takeda and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Tennyson, J., see Zobov, N.F. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terasaki, A., see Fukuda, Y. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound–free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Agand 2 Agand 2 Agastates induced by molecular vibrations 260 (1996) 195 Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in	Tachikawa, H., Ab initio MRSDCI calculations of the g-tensor components of	
Tadjikov, B.M., D.V. Stass and Yu.N. Molin, MARY-detected ESR spectra of radical ions in liquid solutions for systems with crossing Zeeman levels Takaichi, S., see Akimoto, S. Takeda, K., see Takegoshi, K. Takedoshi, K., Takeda and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Taylor, S.M., see Torii, H. Taylor, S.M., see Carrington, A. Tennyson, J., see Zobov, N.F. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terasaki, A., see Fukuda, Y. Thess, A., see Dai, H. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 december of 12 december of 12 december of 12 december of 13 december of 13 december of 14 de		260 (1996) 582
in liquid solutions for systems with crossing Zeeman levels Takaichi, S., see Akimoto, S. Takeda, K., see Takegoshi, K. Takegoshi, K., K. Takeda and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terasaki, A., see Pukuda, Y. Thess, A., see Dai, H. Tiggesbāumker, J., L. köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		200 (1),00,002
Takaichi, S., see Akimoto, S. Takeda, K., see Takegoshi, K. Takeda, K., see Takegoshi, K. Takeda and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Tenyson, J., see Zobov, N.F. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terao, T., see Takegoshi, K. Terasaki, A., see Pukuda, Y. Thess, A., see Dai, H. Tiggesbaumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		260 (1996) 529
Takeda, K., see Takegoshi, K. Takegoshi, K., K. Takeda and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Tennyson, J., see Zobov, N.F. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terao, Deuteron 2D exchange sample-turning NMR: 260 (1996) 159 260 (1996) 533 260 (1996) 395 260 (1996) 395 260 (1996) 381 260 (1996)		
Takegoshi, K., K. Takeda and T. Terao, Modulatory resonance recoupling of heteronuclear dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terao, T., see Takegoshi, K. Terasaki, A., see Fukuda, Y. Thess, A., see Dai, H. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		
dipolar interactions under magic angle spinning Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Tenlyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terao, T., see Takegoshi, K. Terasaki, A., see Pukuda, Y. Thess, A., see Dai, H. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		200 (1990) 331
Takegoshi, K., M. Ito and T. Terao, Deuteron 2D exchange sample-turning NMR: determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Tennyson, J., see Zobov, N.F. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terao, T., see Takegoshi, K. Terasaki, A., see Fukuda, Y. Thess, A., see Dai, H. Tiggesbāumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		260 (1006) 221
determination of interbond angles Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Tenyson, J., see Zobov, N.F. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terao, T., see Takegoshi, K. Terasaki, A., see Fukuda, Y. Thess, A., see Dai, H. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		200 (1990) 331
Tamarit, J.L., see Barrio, M. Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Tennyson, J., see Zobov, N.F. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terao, T., see Takegoshi, K. Terasaki, A., see Fukuda, Y. Thess, A., see Dai, H. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		260 (1006) 150
Tarkka, R.M. and S.A. Jenekhe, Effects of electronic delocalization on intramolecular proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Tennyson, J., see Zobov, N.F. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terao, T., see Takegoshi, K. Terasaki, A., see Fukuda, Y. Thess, A., see Dai, H. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		
proton transfer Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Tennyson, J., see Zobov, N.F. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terao, T., see Takegoshi, K. Terasaki, A., see Fukuda, Y. Thess, A., see Dai, H. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		200 (1990) 78
Tasumi, M., see Torii, H. Taylor, S.M., see Carrington, A. Tennyson, J., see Zobov, N.F. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terao, T., see Takegoshi, K. Terasaki, A., see Fukuda, Y. Thess, A., see Dai, H. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		260 (1006) 522
Taylor, S.M., see Carrington, A. Tennyson, J., see Zobov, N.F. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terao, T., see Takegoshi, K. Terasaki, A., see Fukuda, Y. Thess, A., see Dai, H. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		
Tennyson, J., see Zobov, N.F. Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terao, T., see Takegoshi, K. Terasaki, A., see Fukuda, Y. Thess, A., see Dai, H. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		
Teplyakov, A.V. and B.E. Bent, Infrared spectroscopic study of the chemical displacement of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terao, T., see Takegoshi, K. Terasaki, A., see Fukuda, Y. Thess, A., see Dai, H. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		
of hydrocarbon monolayers from a Cu(100) surface Terao, T., see Takegoshi, K. Terao, T., see Takegoshi, K. Terasaki, A., see Fukuda, Y. Thess, A., see Dai, H. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		260 (1996) 381
Terao, T., see Takegoshi, K. Terao, T., see Takegoshi, K. Terasaki, A., see Fukuda, Y. Thess, A., see Dai, H. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		240 (1004) 44
Terao, T., see Takegoshi, K. Terasaki, A., see Fukuda, Y. Thess, A., see Dai, H. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		
Terasaki, A., see Fukuda, Y. Thess, A., see Dai, H. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		
Thess, A., see Dai, H. Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		
Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 ¹ A _g and 2 ¹ A _g states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		
excitations in negatively charged silver cluster Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		260 (1996) 471
Tolbert, L.M., see Carmeli, I. Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 Ag and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in	Tiggesbäumker, J., L. Köller and KH. Meiwes-Broer, Bound-free collective electron	
Torii, H. and M. Tasumi, Changes in the electronic structures of trans-polyenes in the 1 ¹ A _g and 2 ¹ A _g states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in	excitations in negatively charged silver cluster	260 (1996) 428
and 2 Ag states induced by molecular vibrations Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		260 (1996) 109
Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in		
Tortonda, F.R., J.L. Pascual-Ahuir, E. Silla and I. Tuñón, Why is glycine a zwitterion in	and 2 A _g states induced by molecular vibrations	260 (1996) 195
aqueous solution? A theoretical study of solvent stabilising factors 200 (1996) 21	aqueous solution? A theoretical study of solvent stabilising factors	260 (1996) 21

Toscani, S., see Barrio, M.	260 (1996) 78
Tsukuda, T., see Fukuda, Y.	260 (1996) 423
Tuñón, I., see Tortonda, F.R.	260 (1996) 21
Turkewitsch, P., B. Wandelt, R.R. Ganju, G.D. Darling and W.S. Powell, Effect of	200 (1990) 21
nucleotides on the charge-transfer fluorescence of trans-4(p-N,N-dimethylaminostyryl)-	
N-vinylbenzylpyridinium chloride	260 (1996) 142
Turnidge, M.L. and C.J.S.M. Simpson, Solvent effects on non-resonant vibrational deacti-	200 (1990) 142
	260 (1006) 510
vation: $N_2(v = 1)$ deactivated by CH ₄ in liquid Ar/liquid N ₂ mixtures	260 (1996) 519
van Leuken, J.J., J. Bulthuis, S. Stolte and J.G. Snijders, Steric asymmetry in rotationally	
inelastic state-resolved NO-Ar collisions	260 (1996) 595
Van Marter, T., M.C. Heaven and D. Plummer, Measurement of the rate constant for the	
quenching of I(² P _{1/2}) by O ₂ (X) at 150 K	260 (1996) 201
Vedda, A., see Martini, M.	260 (1996) 418
Wada, Y., see Hasegawa, Y.	260 (1996) 173
Walsh, R., see Becerra, R.	260 (1996) 433
Wan, R., X. Chen, F. Wu and B.R. Weiner, Observation of new vibronic transitions in the	
$\tilde{B}^2A'' - \tilde{X}^2A''$ manifold of the CH ₂ CHO radical	260 (1996) 539
Wandelt, B., see Turkewitsch, P.	260 (1996) 142
Wang, D., S. Li, Y. Li, S. Zheng, B. Chen, C. Ding and Y. Gao, HeI photoelectron	
spectroscopic (PES) studies of the electronic structure of Al(CH ₃) ₃ , In(C ₂ H ₅) ₃ and	
Cd(CH ₃) ₂ compounds	260 (1996) 95
Wang, D., Y. Li, P. Jiang, X. Wang and B. Chen, The study of Hel photoelectron	
spectroscopy (PES) of the electronic structure for ClONO ₂	260 (1996) 99
Wang, X., see Wang, D.	260 (1996) 99
Weiner, B.R., see Wan, R.	260 (1996) 539
Werner, J., see Baumann, P.	260 (1996) 215
Western, C.M., see Ashfold, M.N.R.	260 (1996) 27
Williamson, B.E., see Dunford, C.L.	260 (1996) 522
Winnik, M.A., see Feng, J.	260 (1996) 296
Wojcik, M., Computer simulation of ion migration in ionic micellar systems	260 (1996) 287
Wolf, H.C., see Landwehr, P.	260 (1996) 125
Wong, CK., see Johnson, M.S.	260 (1996) 551
Wu, F., see Wan, R.	260 (1996) 539
Yablonskii, S.V., see Soto Bustamante, E.A.	260 (1996) 447
Yamamoto, S., O. Matsuoka, S. Sugiyama, T. Honda, Y. Banno and H. Nozoye, Surface	200 (1550) 117
structure of natural crystals of mordenite as imaged by atomic force microscopy	260 (1996) 208
Yamanaka, T., see Hasegawa, Y.	260 (1996) 173
Yamazaki, I., see Akimoto, S.	260 (1996) 147
Yanagida, S., see Hasegawa, Y.	260 (1996) 173
Yang, HP., see Zhan, J.	260 (1996) 191
Yekta, A., see Feng, J.	260 (1996) 296
Yudson, V.I., see Reineker, P.	260 (1996) 621
I dusch, v.i., see Remerci, r.	200 (1990) 021
Zannoni, C., see Berardi, R.	260 (1996) 633
Zbigniew Gasyna,, see Dunford, C.L.	260 (1996) 522

Zhan, J., WQ. Deng, KL. Han, HP. Yang, GZ. He and NQ. Lou, Magnetic substate	
transitions in collisions of Sr(5s5p 1P1) with Ar	260 (1996) 191
Zharikov, A.A., see Morozov, V.A.	260 (1996) 611
Zheng, S., see Wang, D.	260 (1996) 95
Zobov, N.F., O.L. Polyansky, C.R. Le Sueur and J. Tennyson, Vibration-rotation levels of	
water beyond the Born-Oppenheimer approximation	260 (1996) 381